

## Bibliography – JUNGLE CROW (Dickschnabelkrähe) – *Corvus macrorhynchos*, Wagler

- Agrawal, N. & Tayal, V.** (1981): Studies on some known and unknown echinostomes from birds. *Journal of Advanced Zoology* 2 (1): 32-44.
- Ahmed-Yahya, S.** (1981): Jungle crow *Corvus macrorhynchos* preying upon grey wagtail *Motacilla caspica*. *Journal of the Bombay Natural History Society* 78 (1): 168.
- Ali, S. & Ripley, S.D.** (1972): *Handbook of the Birds of India and Pakistan*. Vol. 5. Bombay. Oxford University Press.
- Ali, S. & Ripley, S.D.** (1987): *Handbook of the birds of India and Pakistan together with those of Bangladesh, Nepal, Bhutan and Sri Lanka*. Volume 5. Larks to the grey Hypocolius. New Delhi, Oxford University Press, 2001: 10 Vols. 2927 S.
- Ali, S.** (1941): *The Book of Indian Birds*, p.2. Bombay.
- Ali, S.** (1961): *The Birds of Sikkim*. Oxford.
- Aruji, Y., Tamura, K., Sugita, S. & Adachi, Y.** (2004): Intestinal microflora in 45 crows in Ueno Zoo and the in vitro susceptibilities of 29 *Escherichia coli* isolates to 14 antimicrobial agents. *Journal of Veterinary Medical Science* 66 (10): 1283-1286. [Abstract Kompletter Artikel als pdf.](#)
- Asaoka, Y., Yanai, T., Hirayama, H., Une, Y., Saito, E., Sakai, H., Goryo, M., Fukushi, H. & Masegi, T.** (2004): Fatal necrotic enteritis associated with *Clostridium perfringens* in wild crows (*Corvus macrorhynchos*). *Avian Pathology* 33 (1): 19-24. [Abstract Kompletter Artikel als pdf.](#)
- Austin, O.L. & Kuroda, N.** (1953): The birds of Japan, their status and distribution. *Bull. Mus. Comp. Zool.* 109 (4): 503-505.
- Azuma, Y., Kuwabara, K. & Kanai, Y.** (1996): The breeding status and conservation plan of colony sites of the little tern. *Strix* 14: 143-157. [Jap., engl. Zus.] [Abstract Kompletter Artikel als pdf.](#)
- Balasubramanian, P.** (1990): Behaviour of southern spotted owl *Athene brama brama* (Temminck) and jungle crow *Corvus macrorhynchos* at Point Calimere, Tamil Nadu. *Journal of the Bombay Natural History Society* 87 (1): 145.
- Bates, R.S.P. & Lowther, E.H.N.** (1952): *Breeding birds of Kashmir*: 6-8. Oxford. [Abstract](#)
- Burkovskii, O.A. & Kurdyukov, A.B.** (1997): Data on the seasonal diet of the carrion crow *Corvus corone* and the jungle crow *Corvus macrorhynchos* in Southern Primorye. *Russkii Ornitologicheskii Zhurnal Ekspress Vypusk* 19: 13-17. [Russ.]
- Chakravarthy, A.K., Srihari, K. & Chandraprakash, J.** (1998): Management of bird pests in oilpalm plantations in Karnataka. *Advances in IPM for horticultural crops Proceedings of the First National Symposium on Pest Management in Horticultural Crops: environmental implications and thrusts*, Bangalore, India, 15-17 October 1997: 183-187. [Abstract](#)
- Chatterjee, R.K., Tandon, A., Saxena, K.C., Ghatak, S. & Sen, A.B.** (1978): Antigenic studies with *Chandlerella hawkingi*, the filarial parasite of Indian jungle crow, *Corvus macrorhynchos*. *Indian Journal of Medical Research* 67 (1): 34-41.
- Chatterjee, R.K. & Misra, S.** (1999): In search of filarial infection in Indian Jungle crow (*Corvus macrorhynchos*). IN: Sharma, B.D. [Hrsg.]. *Indian wildlife resources ecology and development. (A study of ecology, conservation, economic and applied aspects of Indian wildlife resources)*. Daya Publishing House. Delhi. 1999: i-xii, 1-278. Chapter pagination: 217-222. [Abstract](#)
- Chelomina, G.N., Ivanov, S.V. & Kryukov, A.P.** (1995): Peculiarities of RFLP of highly repetitive DNA in crow genomes. *Genetika* 31 (2) 174-179. [Abstract](#)
- Chiba, N., Arikawa, J., Takashima, I. & Hashimoto, N.** (1984): Isolation and serological survey of chlamydiosis in feral pigeons and crows in Hokkaido. *Japanese Journal of Veterinary Science* 46 (2): 243-245.
- Chikuni, K., Minaka, N. & Ikenaga, H.** (1996): Molecular phylogeny of some passeriformes, based on cytochrome b sequences. *Journal of the Yamashina Institute for Ornithology* 28 (1): 1-8. [Abstract Kompletter Artikel als html](#)
- Dakwale, S. & Bhatnagar, S.** (1994): Resource competition and foraging patterns on the flowers of silk cotton (*Bombax ceiba*) among nectarivorous birds. *Tropical Ecology* 35 (2): 263-274. [Abstract](#)

- Das, I.** (1984): Ridley hatchlings at Gahirmatha. *Hamadryad* 9 (2): 20.
- Dementiev, G.P. & Gladkov, N.A. (Hrsg.)** (1954): Birds of the Soviet Union. Vol. 5. 1970 translation. Israel Program for Scientific Translation, Jerusalem.
- Devasahayam, S. & Devasahayam, A.** (1991): Interaction between common skink *Mabuya carinata* and jungle crow *Corvus macrorhynchos*. *Journal of the Bombay Natural History Society* 88 (1): 122.
- Devasahayam, S. & Rema, J.** (1991): Acacia seeds - a new food source for birds at Calicut. *Newsletter for Birdwatchers* 31 (1-2): 12-13.
- Dhileepan, K.** (1989): Investigations on avian pests of oil palm, *Elaeis guineensis* Jacq. in India. *Tropical Pest Management* 35 (3): 273-277. [Abstract](#)
- Dickinson, E.C., Eck, S. & Martens, J.** (2004): Systematic notes on Asian birds. 44. A preliminary review of the Corvidae. *Zoologische Verhandelingen* 350: 85-109. [Abstract](#) [Kompletter Artikel als pdf](#)
- Duckworth, J.W., Davidson, P., Evans, T.D., Round, P.D. & Timmins, R.J.** (2002): Bird records from Laos, principally the Upper Lao/Thai Mekong and Xiangkhouang Province, in 1998-2000. *Forktail* 18: 11-44. [Abstract](#)
- Eguchi, K.** (1995): Seasonal change in breeding success of the black-billed magpie *Pica pica sericea*. *Japanese Journal of Ornithology* 44 (2): 73-80, 101-102.
- Eguchi, K. & Takeishi, M.** (1997): The ecology of the black-billed magpie *Pica pica sericea* in Japan. *Acta Ornithologica* 32 (1): 33-37.
- Friedmann, H.** (1928): The origin of host specificity in the parasitic habit in the *Cuculidae*. *Auk* 45 (1): 33-38. [Kompletter Artikel als pdf](#).
- Fujimaki, Y.** (1998): Distribution and abundance of carrion and jungle crows in central and south-eastern Hokkaido. *Strix* 16: 47-54. [Jap.]
- Fukihar, T., Yokoyama, G. & Oba, T.** (2000): Occurrence of *Hebeloma vinosophyllum* on the forest ground after decomposition of crow carcass. *Mycoscience* 41 (4): 401-402. [Abstract](#)
- Fukui, A., Yasuda, M., Kouyama, K. & Kanai, Y.** (2005): Species assembly of forest birds of Japan, on the basis of large-scale monitoring censuses in breeding season. *Strix* 23: 1-29. [Jap., engl. Zus.]. [Abstract](#) [Kompletter Artikel als pdf](#)
- George, J.C. & Naik, R.M.** (1960): Intramuscular fat store in the pectoralis of birds. *Auk* 77 (2): 216-217. [Kompletter Artikel als pdf](#).
- George, N.J.** (1985): On the collection of hair from the tail of live cattle (cow) by the jungle crow (*Corvus macrorhynchos*) for nest-building. *Journal of the Bombay Natural History Society* 82 (1): 203.
- Goodwin, D.** (1976): *Crows of the world*. Ithaca, New York (Cornell Univ. Press).
- Hayashi, T., Morita, M., Ouchi, M., Norimura, R., Suzuki, S., Nakamura, M. & Fujii, T.** (1998): A hemosite survey of wild crows in Japan. *Bulletin of the Faculty of Agriculture Tottori University* 51: 131-136. [Jap., engl. Zus.] [Abstract](#)
- Highly Pathogenic Avian Influenza Infection Route Elucidation Team** (2004): Routes of infection of highly pathogenic avian influenza in Japan. Food Safety and Consumer Bureau, Ministry of Agriculture, Forestry & Fisheries, Tokyo. [Abstract](#) [Kompletter Artikel als pdf](#).
- Higuchi, H.** (1979): Habitat segregation between the jungle and carrion crows, *Corvus macrorhynchos* and *C. corone*, in Japan. *Japanese Journal of Ecology* 29 (4): 353-358.
- Higuchi, H.** (2003): Crows causing fire. *Global Environmental Research* 7 (2): 165-167.
- Higuchi, H., Miyagawa, Y., Morishita, E., Kuboshima, E., Yoshida, H., Sakuma, F. & Shibata, Y.** (2003): Soap storing by crows. *Global Environmental Research* 7 (2): 161-164.
- Hirano, T.** (2001): The relationship between Japanese lesser sparrowhawks and crows in sympatric breeding groves. *Strix* 19: 61-69. [Jap., engl. Zus.] [Abstract](#) [Kompletter Artikel als pdf](#).
- Hirano, T.** (2002): The breeding status of Japanese lesser sparrowhawks in residential areas of Utsunomiya City. *Strix* 20: 1-11. [Jap.]
- Hukui, N. & Ueda, K.** (1999): Seed dispersal of Chinese tallow-tree *Sapium sebiferum* by birds. *Japanese Journal of Ornithology* 47 (3): 121-124. [Jap., engl. Zus.] [Abstract](#)

- Ishida, M.** (1985): Observations on the seed dispersal of *Cycas revoluta* by the crow *Corvus macrorhynchos*. *Biological Magazine Okinawa* 23: 29-32.
- Ishigaki, K.** (1987): The effects of a highway on the behaviour of birds. *Research Bulletin of the Hokkaido University Forests* 44 (2): 809-821. [Jap., engl. Zus.] [Abstract](#)
- Iwasa, M.A., Kryukov, A.P., Kakizawa, R. & Suzuki, H.** (2002): Differentiation of mitochondrial gene of Jungle Crow *Corvus macrorhynchos* (Corvidae) in East and South Asia. *Journal of the Yamashina Institute for Ornithology* 34 (1): 66-72. [Abstract](#)
- Izawa, E.I., Kusayama, T. & Watanabe, S.** (2005): Foot-use laterality in the Japanese jungle crow (*Corvus macrorhynchos*). *Behavioural Processes* 69 (3): 357-362. [Abstract](#)
- Jahn, H.** (1942): Zur Ökologie und Biologie der Vögel Japans. *J.Orn.* 90: 73-75.
- Kasuya, T.** (2003): Night return-flights from roost to territory in jungle crow *Corvus macrorhynchos* at the rural area. *Journal of the Yamashina Institute for Ornithology* 35 (1): 52-54.
- Katoh, K. & Nakamura, T.** (2003): Daily change in spatial distribution of jungle crows in urban areas. *Global Environmental Research* 7 (2): 175-180.
- Kawaji, N.** (1994): Lower Predation Rates on Artificial Ground Nests than Arboreal Nests in Western Hokkaido. *Japanese Journal of Ornithology* 43 (1): 1-9, 43-44. [Abstract](#)
- Khacher, L. & Chaturvedi, N.** (1981): The 'balling' of crows. *Journal of the Bombay Natural History Society* 78 (3): 606.
- Kitajima, N. & Kuroda, N.** (1993): The distribution and size of roosts of crows *Corvus macrorhynchos* and *Corvus corone* in the northwestern part of Chiba Prefecture. *Journal of the Yamashina Institute for Ornithology* 25 (1): 54-61. [Jap., engl. Zus.] [Abstract](#)
- Kobayashi, M., Kashida, Y., Yoneda, K., Iwata, H., Watanabe, M., Tanabe, S., Fukatsu, H., Machida, N. & Mitsumori, K.** (2005): Thyroid lesions and dioxin accumulation in the livers of jungle crows (*Corvus macrorhynchos*) in urban and suburban Tokyo. *Archives of Environmental Contamination and Toxicology* 48 (3): 424-432. [Abstract](#)
- Kobayashi, Y., Yamamoto, Y. & Moyer, J.T.** (1997): Status of Japanese Murrelets *Synthliboramphus wumizusume* at Oonohara-jima, Miyake-jima, central Japan. *Strix* 15: 109-115. [Jap., engl. Zus.] [Abstract](#) [Kompletter Artikel als pdf.](#)
- Krishna, S. & Vijayalaxmi, K.K.** (2004): *Bufo parietalis* (forest toad). Predation. *Herpetological Review* 35 (2): 156-157.
- Kubota, A., Iwata, H., Tanabe, S., Yoneda, K. & Tobata, S.** (2006): Congener-specific toxicokinetics of polychlorinated Dibenzo-*p*-Dioxins, polychlorinated Dibenzofurans, and coplanar polychlorinated Biphenyls in Black-eared Kites (*Milvus migrans*): Cytochrome P4501A-dependent hepatic sequestration. *Environmental Toxicology and Chemistry* 25 (4): 1007-1016. [Abstract](#)
- Kubota, R., Kunito, T. & Tanabe, S.** (2003): Occurrence of several arsenic compounds in the liver of birds, cetaceans, pinnipeds, and sea turtles. *Environmental Toxicology and Chemistry* 22 (6): 1200-1207. [Abstract](#)
- Kugi, G.** (1990): A new cestode, *Raillietina (Paroniella) oitaensis* from a crow, *Corvus leucomelas*. *Japanese Journal of Parasitology* 39 (1): 19-21.
- Kuhlman, F.** (1987): The demise of the black-eared kite *Milvus migrans* in Kobe, Japan. *Japanese Journal of Ornithology* 36 (2-3): 79-86.
- Kuroda, N.H.** (1969): Post-fledging family behaviour in Jungle Crow. *Yamashina Inst. Orn.* 5: 640-658.
- Kuroda, N.H.** (1974): Some behaviour and vocalization of Jungle Crow. *Yamashina Inst. Orn.* 7: 427-438.
- Kuroda, N.H.** (1976): Observations of territorial life in breeding season of a pair of jungle crow *Corvus macrorhynchos* in city Tokyo. *Miscellaneous Reports of the Yamashina Institute for Ornithology* 8 (2): 174-191.
- Kuroda, N.H.** (1976): Observations of territorial life in breeding season of a pair of jungle crow *Corvus macrorhynchos* in city Tokyo, 3. *Miscellaneous Reports of the Yamashina Institute for Ornithology* 8 (3): 249-269.
- Kuroda, N.H.** (1977): Observations of territorial life in breeding season of a pair of jungle crow *Corvus macrorhynchos* in city Tokyo: (Continued 4: Additional observation in 1970). *Miscellaneous Reports of the Yamashina Institute for Ornithology* 9 (1): 56-89.

- Kuroda, N.H.** (1977): Observations of territorial life in breeding season of a pair of jungle crow *Corvus macrorhynchos* in city Tokyo, 5: Summarization (1). Miscellaneous Reports of the Yamashina Institute for Ornithology 9 (2): 46-87.
- Kuroda, N.H.** (1977): Observation of territorial life in breeding season of a pair of jungle crow *Corvus macrorhynchos* in City Tokyo: Summarization 6-2. Miscellaneous Reports of the Yamashina Institute for Ornithology 9 (3): 244-258.
- Kuroda, N.H.** (1978): Observation of territorial life in breeding season of a pair of jungle crow *Corvus macrorhynchos* in city Tokyo. (Continued 7: summarization 3 - to be continued). Journal of the Yamashina Institute for Ornithology 10 (3): 300-313. [Jap.]
- Kuroda, N.H.** (1979): Observations of territorial life in breeding season of a pair of Jungle Crows *Corvus macrorhynchos* in City Tokyo, 8: Summarization (4). Yamashina Inst. Orn. 11 (1): 19-38. [Jap.]
- Kuroda, N.H.** (1981): Observations on a schizochroismic *Corvus macrorhynchos*, with notes on its territorial life. Journal of the Yamashina Institute for Ornithology 13 (3): 69-81. [Jap.]
- Kuroda, N.H.** (1984): Morning and night flights from communal roost to territory in *Corvus macrorhynchos*. Journal of the Yamashina Institute for Ornithology 16 (2-3): 93-113. [Jap.]
- Kuroda, N.H.** (1986): Re-occurrence of a schizochroismic *Corvus macrorhynchos* in Tokyo. Journal of the Yamashina Institute for Ornithology 18 (1): 51-53. [Jap.]
- Kuroda, N.H.** (1989): Further note of a schizochroismic jungle crow. Journal of the Yamashina Institute for Ornithology 21 (1): 90. [Jap.]
- Kuroda, N.H.** (1990): The jungle crows of Tokyo. Observations mainly of a particular breeding pair. Yamashina Institute for Ornithology, Chiba: 1-124.
- Kuroda, N.H.** (1993): Morpho-anatomy of the Okinawa rail *Rallus okinawae*. Journal of the Yamashina Institute for Ornithology 25 (1): 12-27. [Abstract](#)
- Kurosawa, R.** (2000): A process of territory establishment by a pair of jungle crows *Corvus macrorhynchos*. Strix 18: 131-135. [Jap.]
- Kurosawa, R.** (2005): Man-crow coexistence achieved by garbage management: a case in Chofu-city, Tokyo. Strix 23: 125-129. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Kurosawa, R., Kanai, Y., Matsuda, M. & Okuyama, M.** (2003): Conflict between humans and crows in greater Tokyo garbage management as a possible solution. Global Environmental Research 7 (2): 139-147.
- Kurosawa, R., Kanai, Y. & Hamaguchi, T.** (2002): Relation of jungle crows and garbage in Tokyo III. Comparison between Tokyo and its vicinity and Kawasaki. Strix 20: 51-59. [Jap.]
- Kurosawa, R., Kono, R., Kondo, T. & Kanai, Y.** (2003): Diet of jungle crows in an urban landscape. Global Environmental Research 7 (2): 193-198.
- Kurosawa, R., Matsuo, T., Tokunaga, T., Kobayashi, K. & Sato, E.** (2004): Breeding performances of crows in a park-like sites with rich vegetation in urban areas: a comparison between Sapporo and Tokyo. Strix 22: 109-116.[Jap., engl. Zus.]. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Kurosawa, R., Narusue, M., Kawachi, H. & Suzuki, K.** (2000): The relationship between jungle crows *Corvus macrorhynchos* and garbage in Tokyo. Strix 18: 71-78. [Jap.]
- Kurosawa, R., Narusue, M., Kawachi, H. & Suzuki, K.** (2001): Relation of jungle crows and garbage in Tokyo II. Comparison between summer and winter seasons. Strix 19: 71-79. [Jap., Eng. Zus.] [Abstract](#) [Kompletter Artikel als pdf.](#)
- Kurosawa, R. & Askins, R.A.** (1999): Differences in bird communities on the forest edge and in the forest interior: Are there forest-interior specialists in Japan? Journal of the Yamashina Institute for Ornithology 31 (2): 63-79. [Abstract](#)
- Kurosawa, R. & Askins, R.A.** (2003): Effects of habitat fragmentation on birds in deciduous forests in Japan. Conservation Biology 17 (3): 695-707. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Kurosawa, R. & Matsuda, M.** (2003): Breeding performance of crows in Tokyo. Strix 21: 167-176. [Jap., Engl. Zus.] [Abstract](#)
- Kusayama, T., Bischof, H.-J. & Watanabe, S.** (2000): Responses to mirror-image stimulation in jungle crows (*Corvus macrorhynchos*). Animal Cognition 3 (1): 61-64. [Abstract](#)

- Lamba, B.S.** (1963): The nidification of some common Indian birds – Part 1. *Journal Bombay Nat. Hist. Soc.* 60: 121-133.
- Lamba, B.S.** (1965): The nidification of some common Indian birds – Part 2. *Journ. Bombay Nat. Hist. Soc.* 62: 425-433.
- Lan, Y.** (1990): An observation on the organization and dynamics of the population of *Corvus macrorhynchus*. *Chinese Journal of Zoology* 25 (3): 18-21. [Chin.]
- Lee, S., Parr, C.S., Hwang, Y., Mindell, D. & Choe, J.C.** (2003): Phylogeny of magpies (genus *Pica*) inferred from mtDNA data. *Molecular phylogenetics and evolution* 29: 250-257. [Abstract Kompletter Artikel als pdf.](#)
- Li, J., Wang, D. & Chen, X. (Hrsg.)** (1997): Trombiculid mites of China: studies on vector and pathogen of Tsutsugamushi disease. Guangdong Science and Technology Press, Guangzhou: 1-570.
- Liu, H.** (1986): Preliminary observation on the feeding habits of the thickbilled crow. *Chinese Journal of Zoology* 21 (2): 7-10. [Chin.]
- Londei, T.** (2002): Occurrence of enca-like crows on Sumba, Indonesia. *Bull. Oriental Bird Club* 36: 34-35.
- Mahabal, A.** (1991): Cases of albinism in house and jungle crows. *Newsletter for Birdwatchers* 31 (9-10): 14.
- Mahabal, A.** (1997): Bird survey in Siwalik Himalaya of Himachal Pradesh. *Pavo* 34 (1-2): 7-16.
- Malhotra, S.K. & Capoor, V.N.** (1979): An avian cestode *Ophryocotyloides srinagarensis n. sp.* from *Corvus macrorhynchus* (Wagler) and *Corvus splendens* (Vieillot) from India with a revised key. *Bioresearch* 3 (2): 35-38.
- Martens, J., Böhner, J. & Hammerschmidt, K.** (2000): Calls of the Jungle Crow (*Corvus macrorhynchus* s.l.) as a taxonomic character. [Rufe der Dickschnabelkrähe (*Corvus macrorhynchus* s. l.) als taxonomisches Merkmal]. *Journal für Ornithologie* 141 (3): 275-284. [Abstract](#)
- Maruyama, S., Tanaka, T., Katsube, Y., Nakanishi, H. & Nukina, M.** (1990): Prevalence of thermophilic campylobacters in crows (*Corvus leucaurus*, *Corvus corone*) and serogroups of the isolates. *Japanese Journal of Veterinary Science* 52 (6): 1237-1244. [Abstract](#)
- Mason, I.J. & Forrester, R.I.** (1996): Geographical differentiation in the Channel-billed Cuckoo *Scythrops novaehollandiae* Latham, with description of two new subspecies from Sulawesi and the Bismarck Archipelago. *Emu* 96 (4): 217-233. [Abstract](#)
- Masutani-Noda, T. & Yamada, E.** (1983): The mosaic pattern of the inner surface of vertebrate retina. *Archivum Histologicum Japonicum* 46 (3): 393-400.
- Matsubara, H.** (2003): Comparative study of territoriality and habitat use in syntopic Jungle Crow (*Corvus macrorhynchus*) and Carrion Crow (*C. corone*). *Ornithological Science* 2 (2): 103-111. [Abstract Kompletter Artikel als pdf.](#)
- Matsubara, H.** (2003): Some effects of the net covering of garbage stations on the home range and reproductive success of a pair of jungle crows. *Strix* 21: 207-214. [Jap., Engl. Zus.] [Abstract](#)
- Matsuda, M.** (2005): The carcasses of Jungle Crows at Rikugien Park -2002- *Bird Research* 1: 9-13.
- Matsuo, J.** (2004): Nest positions of Oriental turtle dove and brown-eared bulbul in street trees of central Osaka city. *Strix* 22: 117-124. [Abstract](#)
- Matsuo, J.** (2005): The relation between nests in which jungle and carrion crows used wire hangers and the vegetation coverage in Osaka City and Sakai City. *Strix* 23: 75-81. [Abstract](#)
- Matsuoka, H., Oshiro, I., Yamauchi, T., Ono, K. & Hasegawa, Y.** (2002): Seabird-wood pigeon paleoavifauna of the Kita-Daito Island: fossil assemblage from the cave deposit and its implication. *Bulletin of Gunma Museum of Natural History* 6: 1-14. [Abstract](#)
- Melville, D.S.** (1982): A mottled jungle crow *Corvus macrorhynchus*. *Natural History Bulletin of the Siam Society* 30 (1): 51-52.
- Minegishi, N.** (2005): Changes in the number of nest boxes destroyed by crows. *Bird Research* 1: 5-8. [Abstract](#)
- Minegishi, N.** (2005): Changes of nest shape in tits and Tree Sparrows. *Bird Research* 1: 1-4. [Abstract](#)
- Mittal, O.P. & Sakhiya, S.** (1980): Bone marrow chromosomes in *Corvus* species (*Corvidae: Passeriformes: Aves*). *Cytobios* 29 (114): 81-89. [Abstract](#)

- Mizuno, F.** (1984): Studies on the parasite fauna of the eastern carrion crow, *Corvus corone orientalis* Eversman, and the Japanese jungle crow, *Corvus macrorhynchos japonensis* Bonaparte. Japanese Journal of Veterinary Research 32 (2): 105. [Kompletter Artikel als pdf.](#)
- Morishita, E., Ito, K., Sasaki, K. & Higuchi, H.** (2003): Movements of crows in urban areas based on PHS tracking. Global Environmental Research 7 (2): 181-191.
- Motavkin, P.A. & Bozhko, G.G.** (1985): Adrenergic neuromuscular junctions in the cerebral arteries of birds. Arkhiv Anatomii Gistologii i Embriologii 89 (11): 26-34. [Russ., engl. Zus.] [Abstract](#)
- Murata, K.** (2002): Prevalence of blood parasites in Japanese wild birds. Journal of Veterinary Medical Science 64 (9): 785-790. [Abstract](#)
- Nakamura, H. & Nakamura, E.** (1996): An examination of bird community change on the basis of 44 years bird watching records in Togakushi heights. Bulletin of Institute of Nature Education in Shiga Heights 0 (33): 35-44. [Abstract](#)
- Nakamura, S.** (1998): The territorial behavior of the Carrion Crows *Corvus corone corone* in Japan. Japanese Journal of Ornithology 46 (4): 213-223. [Abstract](#)
- Nakamura, S.** (2000): Nest site comparisons between the Carrion Crow *Corvus corone* and Jungle Crow *Corvus macrorhynchos* in Takatsuki City. Japanese Journal of Ornithology 49 (1): 39-50. [Abstract](#)
- Nakamura, S.** (2002): Seasonal change of the number of crows at a feeding site. Strix 20: 149-152. [Jap.]
- Nakamura, S.** (2003): The seasonal and annual cycle of crows roost in northeastern Osaka Prefecture. Strix 21: 177-185. [Jap., engl. Zus.] [Abstract](#)
- Nakamura, S.** (2004): Dynamics of flight line assemblies of crow's in the Osaka area. Japanese Journal of Ornithology 53 (2): 77-86. [Abstract](#)
- Nakamura, S.** (2004): The settling/abandoning of seasonal crows' roosts relative to minimum temperatures. Strix 22: 125-133. [Abstract](#)
- Nakamura, S.** (2005): The seasonal change of crow's roosting behavior. Strix 23: 65-74. [Abstract](#)
- Narang, M.L.** (1991): Crows with a white shoulder. Newsletter for Birdwatchers 31 (1-2): 13.
- Natarajan, V.** (1993): Food-storing behaviour of the jungle crow *Corvus macrorhynchos* Wagler. Journal of the Bombay Natural History Society 89 (3): 375.
- Nishi, H.** (2004): Changes of the bird distribution and individual number in the Basin of Shinano River, Nagaoka City, Niigata Prefecture. Bulletin of the Nagaoka Municipal Science Museum 39: 41-54. [Abstract](#)
- Nishi, H. & Tsuyuzaki, S.** (2004): Seed dispersal and seedling establishment of *Rhus trichocarpa* promoted by a crow (*Corvus macrorhynchos*) on a volcano in Japan. Ecography 27 (3): 311-322. [Abstract](#)
- Nishimura, K., Nakamura, K. & Uzuki, H.** (1991): Physical distortion of a call of the Jungle Crow (*Corvus macrorhynchos*) in the process of propagation. J. Ethol. 9: 147-148.
- Okamoto, H.** (1983): Fishermen's influence on breeding seabirds. Strix 2: 115-120. [Jap., Engl. Zus.] [Abstract](#) [Kompletter Artikel als pdf.](#)
- Otsuka, Y., Okada, Y., Makino, S.I. & Maruyama, T.** (1994). Isolation of *Yersinia pseudotuberculosis* from city-living crows captured in a zoo. Journal of Veterinary Medical Science 56 (4): 785-786. [Abstract](#)
- Parasharya, B.M., Dodia, J.F., Mathew, K.L. & Yadav, D.N.** (1994): Natural regulation of white grub (*Holotrichia* sp: *Scarabidae*) by birds in agroecosystem. Journal of Biosciences Bangalore 19 (4): 381-389. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Patnaik, S.C. & Prasad, R.** (1980): Comparative karyological studies in some 12 species of Indian passerine birds. Zeitschrift für Zoologische Systematik und Evolutionsforschung 18 (4): 297-309.
- Pearson, J.T. & Tazawa, H.** (1999): Ontogeny of heart rate in embryonic and nestling crows (*Corvus corone* and *Corvus macrorhynchos*). Journal of Comparative Physiology B Biochemical Systemic and Environmental Physiology 169 (4-5): 256-262. [Abstract](#)
- Piatt, J.F. & Gould, P.J.** (1994): Postbreeding dispersal and drift-net mortality of endangered Japanese Murrelets. Auk 111 (4): 953-961. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Poche, R.** (1981): Crows steal golf balls in Bangladesh. Wilson Bulletin 93 (2): 280. [Kompletter Artikel als pdf.](#)

- Poon, S.K. & Chew, W.K.** (1991): *Isospora corvi* Ray, Shivnani, Oommen and Bhaskaran, 1952 from the common house crow (*Corvus splendens* Vieillot) of Selangor, Peninsular Malaysia. *Folia Parasitologica* 38 (3): 201-207. [Abstract](#)
- Rahman, M.K. & Husain, K.Z.** (1981): Notes on the causes of loss of nestlings of house sparrow, *Passer domesticus* Linnaeus. *Bangladesh Journal of Zoology* 9 (2): 81-82.
- Raju, A.J.S., Rao, S.P. & Ezradanam, V.** (2004): Pollination by bats and passerine birds in a dry season blooming tree species, *Careya arborea* in the Eastern Ghats. *Current Science (Bangalore)* 86 (4): 509-511. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Roberts, T.J.** (1989): Recent ornithological records from Pakistan. *Journal of the Bombay Natural History Society* 86 (2): 135-140.
- Robinson, H.C.** (1927): *The Birds of the Malay Peninsula* 1: 264-265.
- Roslik, G.V. & Kryukov, A.P.** (2001): A karyological study of some corvine birds (*Corvidae, Aves*). *Genetika* 37 (7): 962-973. [Russ.] [Abstract](#)
- Sakamoto, T., Kono, I., Yasuda, N., Sakoh, T. & Kawabata, S.** (1981): Studies on parasites of *Corvus* [crows], 1: *Parasites of Corvus macrorhynchos* in Kagoshima district [Japan; Fundamental study on moxious bird control]. *Bulletin of the Faculty of Agriculture Kagoshima University* 31: 83-93. [Jap.]
- Sankaran, R.** (1996): Territorial displays of the Bengal florican. *Journal of the Bombay Natural History Society* 93 (2): 167-177. [Abstract](#)
- Sawada, I. & Kugi, G.** (1980): Studies on the helminth fauna of Kyushu. Part 6. Cestode parasites of wild birds from Oita Prefecture. *Annotationes Zoologicae Japonenses* 53 (4): 269-279.
- Schäfer, E.** (1938): Ornithologische Ergebnisse zweier Forschungsreisen nach Tibet. *J. Orn.* 86: Sonderheft Mai 1938: 258-259.
- Sen, A.B. & Chatterjee, R.K.** (1977): Effect of different stimuli on the migration of *Chandlerella hawkingi microfilariae* in naturally infected Indian jungle crow. *Indian Journal of Parasitology* 1 (1): 47-51.
- Senthilkumar, K., Iseki, N., Hayama, S., Nakanishi, J. & Masunaga, S.** (2002): Polychlorinated dibenzo-p-dioxins, dibenzofurans, and dioxin-like polychlorinated biphenyls in livers of birds from Japan. *Archives of Environmental Contamination and Toxicology* 42 (2): 244-255. [Abstract](#)
- Setsuda, K., Tsuchida, K., Watanabe, H., Kakei, Y. & Yamada, Y.** (1999): Size dependent predatory pressure in the Japanese horned beetle, *Allomyrina dichotoma* L. (*Coleoptera; Scarabaeidae*). *Journal of Ethology* 17 (2): 73-77.
- Sharma, I.K.** (1983): The grey partridge (*Francolinus pondicerianus*) in the Rajasthan desert. *Annals of Arid Zone* 22 (2): 117-120.
- Sharma, S.K.** (1995): Food storing behaviour of the Jungle crow *Corvus macrorhynchos* Wagler. *Journal of the Bombay Natural History Society* 92 (1): 123.
- Shirafuji, T.** (2004): Twelve-years change of avifauna in Senri-Chuo Park, Toyonaka, Osaka, Japan. *Bulletin of the Osaka Museum of Natural History* 58: 1-18. [Abstract](#)
- Shirota, Y.** (1989): A new method to scare crows *Corvus macrorhynchos* and *C. corone*. *Bird Behaviour* 8 (1): 1-7.
- Shyama, S.K.** (1997): Bird-pests of cashew (*Anacardium occidentale*) in Goa. *Pavo* 35 (1-2): 135-138. [Abstract](#)
- Siebold** (1833-1850): *Fauna Japonica. Aves (1844-1850)* 12 vol.: 80. [Abstract.](#) [Kompletter Artikel als htm.](#) [Bildtafel als htm.](#)
- Singh, M.P., Bisht, R.S. & Mishra, P.N.** (2003): Survey to explore the natural enemies of white grub (*Holotrichia spp.*) in Garhwal Himalayas. *Indian Journal of Entomology* 65 (2): 202-210. [Abstract](#)
- Soma, M. & Hasegawa, T.** (2003): Formation of foraging flocks with recruitment calls in jungle crows, *Corvus macrorhynchos*. *Japanese Journal of Ornithology* 52 (2): 97-106. [Abstract](#)
- Spiridonova, L.N., Chelomina, G.N. & Kryukov, A.P.** (2003): Genetic diversity of the carrion and jungle crows as evidenced by RAPD-PCR analysis. *Genetika* 39 (11): 1516-1526. [russ., engl.Zus.] [Abstract](#)
- Srivastava, A. & Shrivastava, S.C.** (1995): Effect of rBHC-50 ppm on bones of birds. *Proceedings of the National Academy of Sciences India Section B (Biological Sciences)* 65 (1): 83-84.

- Steadman, D.W., White, J.P. & Allen, J.** (1999): Prehistoric birds from New Ireland, Papua New Guinea: Extinctions on a large Melanesian island. *Proc. Nat. Acad. Sci. USA* 96: 2563-2568. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Sugiyama, A., Inoue-Murayama, M., Miwa, M., Ohashi, R., Kayang, B.B., Mizutani, M., Nirasawa, K., Odai, M., Minezawa, M., Watanabe, S. & Ito, S.** (2004): Polymorphism of dopamine receptor D4 exon I corresponding region in chicken. *Zoological Science* 21 (9): 941-946. [Abstract](#)
- Sundar, K.S.G. & Choudhury, B.C.** (2003): Nest sanitation in Sarus Cranes *Grus antigone* in Uttar Pradesh, India. *Forktail* 19: 144-146.
- Takashi, M., Fujimoto, K., Kawaguchi, K., Kawaguchi, H. & Ishida, K.** (2002): The first observation of the breeding progress of the critically endangered Amami thrush *Zoothera major*. *Strix* 20: 71-77. [Jap.]
- Takenaka, M.** (2003): Crows problems in Sapporo area. *Global Environmental Research* 7 (2): 149-160.
- Tamada, K.** (2004): Sexual differences in the external measurements of Carrion and Jungle Crows in Hokkaido, Japan. *Japanese Journal of Ornithology* 53 (2): 93-97. [Abstract](#)
- Tamada, K. & Fujimaki, Y.** (1993): Breeding biology of *Corvus corone* and *C. macrorhynchos* in central Hokkaido. *Japanese Journal of Ornithology* 42 (1): 9-20. [Jap., eng. Zus.] [Abstract](#)
- Tamada, K. & Fukamatsu, N.** (1992): Seasonal changes in the number and age composition of crows captured by multi-traps. *Japanese Journal of Ornithology* 40 (2): 79-82. [Jap.]
- Tehsin, R.H.** (2002): Jungle crow *Corvus macrorhynchos* and its ingenuity with dry roti. *Journal of the Bombay Natural History Society* 99 (1): 117-118.
- The Roost Research Group** (1986): On communal roost of crows (*Corvus macrorhynchos* and *C. corone*) in Kanagawa Prefecture. *Strix* 5: 17-22. [Jap., engl. Zus.] [Abstract](#) [Kompletter Artikel als pdf.](#)
- Timofeeva, A.A., Evseeva, T.I. & Tscherbina, R.D.** (1981): Pasterrileis epizooty in the flock of the jungle crow (*Corvus macrorhynchos*) in Sakhalin Islands. *Ornitologiya* 16: 189-190. [Russ.]
- To, H., Sakai, R., Shiota, K., Kano, C., Abe, S., Sugimoto, T., Takehara, K., Morita, C., Takashima, I., Maruyama, T., Yamaguchi, T., Fukushi, H. & Hirai, K.** (1998): Coxiellosis in domestic and wild birds from Japan. *Journal of Wildlife Diseases* 34 (2): 310-316. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Tsuchiya, K., Sumiyoshi, T., Shimura, R., Ochi, K. & Hori, H.** (1979): The karyotypes of six species of birds from Hokkaido. *Report of the Hokkaido Institute of Public Health* 29: 30-32. [Jap.]
- Uchida, Y., Shimadzu, H. & Sekimoto, T.** (2003): The relationship between the avifauna and environmental changes at Jiyu-Gakuen in Tokyo: a statistical analysis of the bird-census data for 35 years. *Strix* 21: 53-70. [Jap., engl. Zus.] [Abstract](#)
- Ueda, K.** (2005): Birds eating fruits of a pioneer tree *Mallotus japonicus* on Iriomote Island. *Journal of the Yamashina Institute for Ornithology* 36 (2): 133-135. [Abstract](#)
- Ueda, K. & Fukui, N.** (1992): Fruit food of crows *Corvus corone* and *C. macrorhynchos*: Analysis of seeds collected at the pre-roosting sites. *Japanese Journal of Ornithology* 40 (2): 67-74. [Jap., engl. Zus.] [Abstract](#)
- Ueta, M.** (1994): Nest abandonment by Japanese lesser sparrowhawks *Accipiter gularis* resulting in predation of nests of nearby azure-winged magpies *Cyanopica cyana*. *Strix* 13: 205-208. [Jap., engl. Zus.] [Abstract](#) [Kompletter Artikel als pdf.](#)
- Ueta, M.** (1998): Crow-related low nesting-success of small open-nesting birds in Tokyo area. *Strix* 16: 67-71. [Jap.]
- Ueta, M.** (2001): The effect of jungle crows on the breeding of Japanese lesser sparrowhawks. *Strix* 19: 55-60. [Jap.]
- Ueta, M., Kurosawa, R., Hamao, S., Kawachi, H. & Higuchi, H.** (2003): Population change of jungle crows in Tokyo. *Global Environmental Research* 7 (2): 131-137.
- Verma, T.D. & Ramesh, C.** (1995): Epidemic of deodar defoliator, *Ectropis deodarae* Prout (*Lepidoptera: Geometridae*) in the north-west Himalaya. *Indian Forester* 121 (7): 663-664. [Abstract](#)
- Wang, X., Liu N., Chen, Y., Yang, Y. & Xu, M.** (1987): Ecological studies of the Chinese hazel grouse (*Tetrastes s. sewerzowi*). *Acta Zoologica Sinica* 33 (1): 73-81. [Chin.]
- Watanabe, M.X., Iwata, H., Watanabe, M., Tanabe, S., Subramanian, A., Yoneda, K. & Hashimoto, T.** (2005): Bioaccumulation of organochlorines in crows from an Indian open waste dumping site: Evidence for

direct transfer of dioxin-like congeners from the contaminated soil. *Environmental Science and Technology* 39 (12): 4421-4430. [Abstract](#)

**Watanuki, Y.** (1983): Predation and anti-predation behaviour in seabirds on Teuri Island, Hokkaido. *Journal of the Yamashina Institute for Ornithology* 15 (2): 167-174.

**Watanuki, Y.** (1986): Moonlight avoidance behaviour in Leach's Storm-Petrels as a defense against slaty-backed gulls. *Auk* 103 (1): 14-22. [Abstract](#) [Kompletter Artikel als pdf.](#)

**Wilder, E.D. & Hubbard, H.W.** (1938): Handbook No. 6. Birds of Northeastern China: 126.

**Yamadera, A. & Yamadera, E.** (1990): Relation between the first calling time and the sunrise. (1) The first calling time of the jungle crow *Corvus macrorhynchos*. *Strix* 9: 23-29. [Jap., eng. Zus.] [Abstract](#) [Kompletter Artikel als pdf.](#)

**Yamamoto, K., Furuya, I. & Watanabe, S.** (2001): Near-field visual acuity in Japanese jungle crows (*Corvus macrorhynchos*). *Physiology and Behavior* 72 (1-2): 283-286. [Abstract](#)

**Yamashina, Y.** (1961): Birds in Japan. Tokyo.

**Yoshino, T. & Fujiwara, K.** (2004): Feeding and digestive conditions of the seeds of *Mallotus japonicus* based on analysis of excretions from crows (*Corvus macrorhynchos* & *C. corone*). *Journal of the Yamashina Institute for Ornithology* 36 (1): 1-13. [Jap., eng. Zus.] [Abstract](#)

**Yuan, H.-W.** (2001): Habitat usage by birds at the proposed Shalishian Nature Education Center, Nantou County, Taiwan. *Journal of the Experimental Forest of National Taiwan University* 15 (4): 237-247. [Abstract](#)

**Zheng, Z., Li, D., Wang, Z., Wang, Z., Jiang, Z. & Lu, T.** (1983): The avifauna of Xizang. The Comprehensive Scientific Expedition to Qinghai-Xizang Plateau, Academia Sinica. Science Press, Peking. 1983: i-vii: 1-353. [Chin.]

**Zusi, R.L.** (1987): A feeding adaptation of the jaw articulation in new world jays (*Corvidae*). *Auk* 104 (4): 665-680. [Abstract](#) [Kompletter Artikel als pdf.](#)