

## Bibliography – SIBERIAN JAY (Unglückshäher) – *Perisoreus infaustus*, L.

- Andreev, A.V.** (1977): Winter energy balance and hypothermia of the Siberian jay. *Ekologiya* (Moscow) 4: 66-72. [russ.]
- Andreev, A.V.** (1982): Winter ecology of the Siberian Jay and the Nutcracker in the region of northeast Siberia. *Ornitologija* 17: 72-82. [russ.]
- Andreev, A.V.** (1982): Energy budget and hypothermia of Siberian Jay in winter season. *Orn. Stud. USSR* 2: 364-375.
- Babenko, V.G. & Redkin, Y.A.** (1999): Ornithogeographical characteristics of the Low Amur basin. *Zoologicheskii Zhurnal* 78 (3): 398-408. [russ., engl. Zus.] [Abstract](#)
- Beuschild, E. & Beuschild, I.** (1972): Erstnachweis des Unglückshähers (*Perisoreus infaustus* (L.)) für die DDR. [First record of *Perisoreus infaustus* (L.) for East Germany.] *Naturkundliche Jahresberichte des Museum Heineanum* 7 (0): 117-118.
- Blair, H.M.S.** (1936): On the birds of East Finmark. *Ibis* 6 (13th ser.): 280-308.
- Blomgren, A.** (1964): *Lavskrika*. Bonniers, Stockholm.
- Blomgren, A.** (1971): Studies of less familiar birds. Siberian Jay. *Brit. Birds* 64: 25-28.
- Borgos, G. & Hogstad, O.** (2001): *Lavskrika vinterstid*. [The Siberian jay in the winter.] *Vår Fuglefauna* 24 (4): 155-163. [norw.]
- Brotons, L., Monkkonen, M., Huhta, E., Nikula, A. & Rajasarkka, A.** (2003): Effects of landscape structure and forest reserve location on old-growth forest bird species in Northern Finland. *Landscape Ecology* 18 (4): 377-393. [Abstract](#)
- Carlson, T.** (1946): Bofynd av lavskrika (*Cractes infaustus* L.) med tre matande fåglar. *Vår Fågelvärld* 5: 37-38. [schwed.]
- Carpelan, J.** (1929): Einige Beobachtungen über Lebensweise und Fortpflanzung des Unglückshähers (*Perisoreus infaustus*) im nördlichen Finnland. *Beitr. Fortpfl. Vögel* 5: 60-63.
- Cramp, S. & Perrins, C.M. (Hrsg.)** (1994): *Handbook of the Birds of Europe, the Middle East and North Africa. The birds of the western Palearctic. Vol. VIII. Crows to finches.* Oxford University Press, Oxford.
- Dresser, H.E.** (1881): *A History of the birds of Europe.* 4: 471-477.
- Edenius, L. & Meyer, C.** (2002): Activity budgets and microhabitat use in the Siberian Jay *Perisoreus infaustus* in managed and unmanaged forest. *Ornis Fennica* 79 (1): 26-33. [Abstract](#)
- Eggers, S., Griesser, M. & Ekman, J.** (2005): Predator-induced plasticity in nest visitation rates in the Siberian jay (*Perisoreus infaustus*). *Behavioral Ecology* 16: 309-315. [Abstract](#)
- Eggers, S., Griesser, M., Andersson, T. & Ekman, J.** (2005): Nest predation and habitat change interact to influence Siberian jay numbers. *Oikos* 111 (1): 150-158. [Abstract](#)
- Eggers, S., Griesser, M., Nystrand, M. & Ekman, J.** (2006): Predation risk induces changes in nest-site selection and clutch size in the Siberian jay. *Proceedings of the Royal Society series B* 273 (1587): 701-706. [Abstract](#)
- Eggers, S.** (2002): Behaviour and life-history responses to chick provisioning under risk of nest predation. Dissertation Uppsala University. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Ekman, J., Baglione, V., Eggers, S. & Griesser, M.** (2001): Delayed dispersal: living under the reign of nepotistic parents. *Auk* 118: 1-10.
- Ekman, J., Brodin, A., Bylin, A. & Sklepkovych, B.** (1996): Selfish long-term benefits of hoarding in the Siberian jay. *Behavioral Ecology* 7: 140-144. [Abstract](#)
- Ekman, J., Eggers, S., Griesser, M. & Tegelström, H.** (2001): Queuing for preferred territories: Delayed dispersal of Siberian jays. *Journal of Animal Ecology* 70 (2): 317-324. [Abstract](#)
- Ekman, J., Bylin, A. & Tegelström, H.** (1999): Increased lifetime reproductive success for Siberian jay (*Perisoreus infaustus*) males with delayed dispersal. *Proceedings of the Royal Society Biological Sciences Series B* 266 (1422): 911-915. [Abstract](#) [Kompletter Artikel als pdf.](#)

- Ekman, J., Bylin, A. & Tegelström, H.** (2000): Parental nepotism enhances survival of retained offspring in the Siberian jay. *Behavioral Ecology* 11 (4): 416-420. [Abstract](#)
- Ekman, J., Eggers, S. & Griesser, M.** (2002): Fighting to stay: The role of sibling rivalry for delayed dispersal. *Animal Behaviour* 64 (3): 453-459. [Abstract](#)
- Ekman, J., Sklepkovych, B. & Tegelström, H.** (1994): Offspring retention in the Siberian jay (*Perisoreus infaustus*): The prolonged brood care hypothesis. *Behavioral Ecology* 5 (3): 245-253. [Abstract](#)
- Ekman, J. & Griesser, M.** (2002): Why offspring delay dispersal: Experimental evidence for a role of parental tolerance. *Proceedings of the Royal Society Biological Sciences Series B* 269 (1501): 1709-1713. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Ekman, J. & Sklepkovych, B.** (1994): Conflict of interest between the sexes in Siberian jay winter flocks. *Animal Behaviour* 48 (2): 485-487.
- Ekman, J.** (1995): [Family is best. Siberian jays prefer to flock with relations.] *Var Fagelvarld* 54 (4): 11-14. [swed.]
- Engler, G. & Thiede, W.** (1999): Pilze als Nahrung und Nahrungsvorrat des Unglückshähers. [Fungi as food and food store of the Siberian Jay.] *Ornithologische Mitteilungen* 51 (2): 40-42. [Abstract](#)
- Engler, G.** (1999): Weiteres zur Unglückshäher-Nahrung in Schweden. [More on the feeding of the Siberian jay in Sweden.] *Ornithologische Mitteilungen* 51 (2): 59. [Kompletter Artikel als html.](#)
- Ericson, P.G.P., Jansén, A.-L., Johansson, U.S. & Ekman, J.** (2005): Inter-generic relationships of the crows, jays, magpies and allied groups (Aves: *Corvidae*) based on nucleotide sequence data. *Journal of Avian Biology* 36: 222-234. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Forsman, D.** (1996): Kuukkeli. Finnish birds. 2. Siberian jay. *Alula* 2 (2): 82-83.
- Franz, J.** (1943): Über Ernährung und Tagesrhythmus einiger Vögel im arktischen Winter. *J. Orn.* 91: 154-165.
- Friedmann, V.S., Matveenko, B.L. & Bolshakov, N.M.** (2001): On biology of woodpeckers and some faunistic notes from the south of Primorye Region, Far East. *Ornitologiya* 29: 310-312. [russ.]
- Fujimaki, Y. & Nechaev, V.A.** (2000): Summer avifauna of Schmidt Peninsula, northern Sakhalin. *Research Bulletin of Obihiro University Natural Science* 22 (1): 11-18. [Abstract](#)
- Griesser, M.** (2003): Nepotistic vigilance behavior in Siberian jay parents. *Behavioral Ecology* 14 (2): 246-250. [Abstract](#)
- Griesser, M.** (2003): The nepotistic parent; Predator Protection, Kinship and Philopatry. Diss. at Uppsala University. [Abstract](#) [Kompletter Artikel als pdf.](#)
- Griesser, M. & Ekman, A.** (2004): Nepotistic alarm calling in the Siberian jay, *Perisoreus infaustus*. *Animal Behaviour* 67 (5): 933-939. [Abstract](#)
- Griesser, M. & Ekman, J.** (2005): Nepotistic mobbing behaviour in the Siberian jay, *Perisoreus infaustus*. *Animal Behaviour* 69: 345-352. [Abstract](#)
- Griesser, M., Nystrand, M. & Ekman, J.** (2006): Reduced mortality selects for family cohesion in a social species. *Proceedings of the Royal Society Biological Sciences Series B* 273 (1596): 1881-1886. [Abstract](#)
- Hartman, L. von** (1969): The nesting habits of Finnish birds. I. Passeriformes. *Comm. Biologicae Soc. Sci. Fenn.* 32: 38-40.
- Haensel, J.** (1983): Der Unglückshäher. *Falke* 30 (9): 322-323.
- Hagemeijer, J. M. & Blair, M. J. (Hrsg.)** (1997): The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. T & A D Poyser, London.
- Heinen, W., Mäurer, P. & Finken, H.** (1978): Sibirischer Häher gräbt Wespennest aus. [*Perisoreus infaustus* digs up wasp-nest.] *Charadrius* 14 (1/2): 27.
- Helle, P.** (1984): Observations on some taiga forest birds with respect to forest fragmentation. *Ornis Fennica* 61 (4): 121-122.
- Huhta, E., Mappes, T. & Jokimaki, J.** (1996): Predation on artificial ground nests in relation to forest fragmentation, agricultural land and habitat structure. *Ecography* 19 (1): 85-91. [Abstract](#)
- Johansen, H.** (1944): Die Vogelfauna Westsibiriens. II. Teil *J. Orn.* 92: 1-105.
- Kallander, H.** (1980): [*Clethrionomys glareolus* as a prey object for Siberian jays *Perisoreus infaustus*.] *Var*

Fuglefauna 3 (3): 226-227 and 231. [norw.]

**Kemppainen, J. & Kemppainen, O.** (1991): [Occurrence of the Siberian jay in southern Finland 1960-1990.] *Lintumies* 26 (1): 20-29. [Finn.]

**Kliebe, K.** (2002): Pseudozahme Unglückshäher *Perisoreus infaustus*. [Pseudo tame Siberian jay *Perisoreus infaustus*.] *Ornithologische Mitteilungen* 54 (6): 217.

**Kokhanov, V.D.** (1982): Ecology of the Siberian Jay in the Murmansk region. In: V.A. Zabrodin (eds.): *Ekologiya i morfologiya ptits na kraynem severozapade SSSR* [Ecology and morphology of birds in far north-east.]. N.p., Moscow: 124-137.

**Kokko, H. & Ekman, J.** (2002): Delayed dispersal as a route to breeding: Territorial inheritance, safe havens, and ecological constraints. *American Naturalist* 160 (4): 468-484. [Abstract](#) [Kompletter Artikel als pdf](#).

**Kouki, J. & Vaananen, A.** (2000): Impoverishment of resident old-growth forest bird assemblages along an isolation gradient of protected areas in eastern Finland. *Ornis Fennica* 77 (4): 145-154. [Abstract](#)

**Lillandt, B.-G., Bensch, S. & Schantz, T. von** (2001): Parentage determination in kin-structured populations: microsatellite analyses in the Siberian Jay *Perisoreus infaustus* during a 25-year population study. *Avian Science* 1: 3-14. [Abstract](#) [Kompletter Artikel als pdf](#).

**Lillandt, B.-G., Bensch, S. & Schantz, T. von** (2003): Family structure in the Siberian Jay as revealed by microsatellite analyses. *Condor* 105 (3): 505-514. [Abstract](#) [Kompletter Artikel als pdf](#).

**Lillandt, B.-G., Bensch, S., Hansson, B., Wennerberg, L. & Schantz, T. von** (2002): Isolation and cross-species amplification of microsatellite loci in the Siberian jay (*Perisoreus infaustus*). *Hereditas (Lund)* 137 (2): 157-160.

**Lillandt, B.-G.** (1993): Lavskrikans (*Perisoreus infaustus*) populationsutveckling inom ett sammanhängande skogsområde i Sydösterbotten 1974-1992. M.Sc. thesis, University of Helsinki. [Finn.]

**Lindgren, F.** (1975): laktagelser rörande lavskrikan (*Perisoreus infaustus*) – huvudsakligen dess häckningsbiologi. *Fauna och flora* 70: 198-210.

**Lindgren, F.** (1985): [Partially albinistic Siberian jay.] *Fauna och Flora* 80 (1): 42. [Schwed.]

**Lindgren, F.** (1986): [Siberian jay *Perisoreus infaustus*, using feet to carry food.] *Var Fagelvarld* 45 (3): 155. [Schwed.]

**Lindgren, F.** (1995): [Siberian jay. "The notorious chatterbox".] *Var Fagelvarld* 54 (4): 7-10. [Schwed.]

**Maetro, J.** (1996): Breeding biology of the Siberian Jay in Kuusamo. *Aureola* 21: 74-87.

**Meade-Waldo, E.G.B.** (1889): The Siberian Jay. *Avicult. Mag.* 5: 101-102.

**Mendel, H.** (1990): Bettelverhalten des Unglückshähers (*Perisoreus infaustus*). *Ornithologische Mitteilungen* 42 (4): 110-111.

**Meyer, C.** (2000): Überlebensprobleme in nördischen Wäldern. Unglückshäher und Forstwirtschaft. [Survival problems in northern forests. The Siberian jay and forest management.] *Falke* 47 (1): 22-27. [Abstract](#)

**Mykra, S., Kurki, S. & Nikula, A.** (2000): The spacing of mature forest habitat in relation to species-specific scales in managed boreal forests in NE Finland. *Annales Zoologici Fennici* 37 (2): 79-91. [Abstract](#) [Kompletter Artikel als pdf](#).

**Nilsson, L.** (2003): Slaktskap i lavsrikegrupper. [Relatedness in groups of Siberian jays.] *Var Fagelvarld* 62 (7): 35. [Schwed.]

**Nystrand, M.** (2006): Effects of habitat quality on behavioural decisions and population dynamics in the Siberian Jay. Dissertation Uppsala University. [Abstract](#) [Kompletter Artikel als pdf](#).

**Nystrand, M.** (2006): Influence of age, kinship, and large-scale habitat quality on local foraging choices of Siberian jays. *Behavioral Ecology* 17: 503-509. [Abstract](#)

**Pravosudov, V.V.** (1984): The storage of food by the Siberian jay *Perisoreus infaustus* (Passeriformes, *Corvidae*) in spring. *Zoologicheskii Zhurnal* 63 (6): 950-953. [Russ.]

**Pulliainen, E. & Ollinmaki, P.** (1996): A long-term study of the food niche of the Pine Marten *Martes martes* in northern boreal Finland. *Acta Theriol.* 41: 337-352.

**Pulliainen, E. & Saari, L.** (1997): Population trends and the breeding biology of the Siberian Jay *Perisoreus infaustus* in eastern Finnish Lapland. *Linnut* 32: 18-20.

**Pulliainen, E., Saari, L. & Tunkkari, P.** (2002): Predation as a possible explanation for density dependent

- breeding success in a population of subarctic song thrush (*Turdus philomelos*). *Aquilo Ser Zoologica* 30: 53-56. [Abstract](#)
- Redkin, Y.A. & Babenko, V.G.** (1998): Spatial relationships between two subspecies of the Siberian jay *Perisoreus infaustus* in the Lower Amur. *Russkii Ornitologicheskii Zhurnal Ekspres Vypusk* 38: 9-15. [Russ.]
- Rovinsky, F., Pastukhov, B., Bouyvolov, Y. & Burtseva, L.** (1995): Present day state of background pollution of the natural environment in the Russian Arctic in the region of the Ust-Lena Reserve. *Science of the Total Environment* 160-161: 193-199.
- Schröter, W.** (1982): Beute- und Nistmaterialtransport von Krähenvögeln. [Transport of prey and nesting material in crows.] *Ornithologische Mitteilungen* 34 (7): 166-168.
- Senger, C.** (1978): Bemerkungen über den Unglückshäher. *Gef. Welt* 102: 10-11.
- Sklepkovych, B.** (1997): Kinship and conflict: resource competition in a proto-cooperative species: The Siberian Jay. Dissertation Stockholm University.
- Sklepkovych, B.** (1997): The influence of kinship on foraging competition in Siberian jays. *Behavioral Ecology and Sociobiology* 40 (5): 287-296. [Abstract](#)
- Smirensky, S.M. & Babenko, V.G.** 1984): On the ecology of *Corvidae* species in the Middle Amur River region. *Ornitologiya* 19: 95-99. [Russ.]
- Stegmann, B.** (1931): Die Vögel des dauro-mandschurischen Übergangsgebietes. *J. Orn.* 79: 10-236.
- Sun, Y.H., Scherzinger, W., Liu, N.F., Klaus, S. & Fang, Y.** (2001): The new distribution areas of Sichuan wood owl (*Strix davidi*) in Gansu, China. *Acta Zoologica Sinica* 47 (4): 473-475. [chin., engl. Zus.] [Abstract](#) [Kompletter Artikel als pdf.](#)
- Uimaniemi, L., Orell, M., Monkkonen, M., Huhta, E., Jokimaki, J. & Lumme, J.** (2000): Genetic diversity in the Siberian jay *Perisoreus infaustus* in fragmented old-growth forests of Fennoscandia. *Ecography* 23 (6): 669-677. [Abstract](#)
- Ulfstrand, S.** (2003): Ur lavskrikans familjeliv. [From the family life of the Siberian jay.] *Var Fagelvarld* 62 (7): 30-31. [Schwed.]
- Vaurie, C.** (1959): The birds of the Palearctic Fauna: Passeriformes. London.
- Virkkala, R.** (1988): Foraging niches of foliage-gleaning birds in the northernmost taiga in Finland. *Ornis Fennica* 65 (3): 104-113.
- Virkkala, R., Heinonen, M. & Routasuo, P.** (1991): The response of northern taiga birds to storm disturbance in the Koilliskaira National Park, Finnish Lapland. *Ornis Fennica* 68 (3): 123-126.
- Vorobiev, K.A.** (1954): [Birds of the Ussuri Area.] Moscow.
- Zinchenko, Y.K.** (1984): [Ornithological observations in the northeastern part of the region east of Lake Baikal.] *Ornitologiya* 19: 178-179. [Russ.]
- Zusi, R.L.** (1987): A feeding adaptation of the jaw articulation in new world jays (*Corvidae*). *Auk* 104 (4): 665-680. [Abstract](#) [Kompletter Artikel als pdf.](#)