

Bibliografie – ALPENKRÄHE (Red-billed Cough)– *Pyrrhocorax pyrrhocorax*, L.

- Baguette, M. & Gerard, S.** (1993): Effects of spruce plantations on carabid beetles in southern Belgium. *Pedobiologia* 37 (3): 129-140.
- Bannerman, D.A.** (1953): *The Birds of the British Isles*. Vol. 1, London.
- Beyerbach, M., Becker, P.H., Büthe, A., Denker, E., Heidmann, W.A. & De-Yanes, G.S.** (1993): Variation of PCB mixtures in eggs of birds of the Wadden Sea. *Journal für Ornithologie* 134 (3): 325-334.
- Signal, E. & Curtis, D.J. (Hrsg.)** (1988): Choughs and land-use in Europe. Proc. intern. workshop conservation of the Chough, Orierton, Scot. Chough Study Group, Quinhill/Argyll, 112 S.
- Signal, E., Monaghan, P., Benn, S., Signal, S., Still, E. & Thompson, P.M.** (1987): Breeding success and post-fledging survival in the Chough. *Bird Study* 34: 39–42.
- Signal, E.M., McCracken, D.I., Stillman, R.A. & Ovenden, G.N.** (1996): Feeding behavior of nesting Choughs in the Scottish hebrides. *Journal of Field Ornithology* 67 (1): 25-43.
- Blanco, G. & Tella, J.L.** (1997): Protective association and breeding advantages of choughs nesting in lesser kestrel colonies. *Animal Behaviour* 54 (2): 335-342.
- Blanco, G. & Tella, J.L.** (1999): Temporal, spatial and social segregation of red-billed choughs between two types of communal roost: A role for mating and territory acquisition. *Animal Behaviour* 57 (6): 1219-1227.
- Blanco, G., Cuevas, J.A. & Fargallo, J.A.** (1991): La poblacion de Chova piquirroja en el sureste de Madrid (centro de España). *Ardeola* 38: 91–99 [span. Mit engl. Zus.].
- Blanco, G., Cuevas, J.A. & Fargallo, J.A.** (1998): Breeding density and distribution of Choughs *Pyrrhocorax pyrrhocorax* nesting in river cliffs: The role of nest-site availability. *Ardea* 86 (2): 237-244.
- Blanco, G., Fargallo, J.A. & Cuevas, J.A.** (1995): Consumption rates of olives by Choughs in central Spain: Variations and importance. *Journal of Field Ornithology* 65 (4): 482-489.
- Blanco, G., Fargallo, J.A., Cuevas, J.A. & Tella, J.L.** (1998): Effects of nest-site availability and distribution on density-dependent clutch size and laying date in the chough *Pyrrhocorax pyrrhocorax*. *Ibis* 140 (2): 252-256.
- Blanco, G., Fargallo, J.A., Tella, J.L. & Cuevas, J.A.** (1997): Role of buildings as nest-sites in the range expansion and conservation of choughs *Pyrrhocorax pyrrhocorax* in Spain. *Biological Conservation* 79 (2-3): 117-122.
- Blanco, G., Merino, S., Tella, J.L., Fargallo, J.A. & Gajon, A.** (1997): Hematozoa in two populations of the threatened red-billed chough in Spain. *Journal of Wildlife Diseases* 33 (3): 642-645.
- Blanco, G., Tella, J.L. & Potti, J.** (1997): Feather mites on group-living Red-billed Choughs: A non-parasitic interaction? *Journal of Avian Biology* 28 (3): 197-206.
- Blanco, G., Tella, J.L. & Torre, I.** (1996): Age and sex determination of monomorphic non-breeding choughs: A long-term study. *Journal of Field Ornithology* 67 (3): 428-433.
- Blanco, G., Tella, J.L. & Torre, I.** (1998): Traditional farming and key foraging habitats for chough *Pyrrhocorax pyrrhocorax* conservation in a Spanish pseudosteppe landscape. *Journal of Applied Ecology* 35 (2): 232-239.
- Brown, L.H.** (1967): The occurrence of the Cough *Pyrrhocorax pyrrhocorax* in the Mendebora Mountains of the Bale Province, Ethiopia. *Ibis* 109: 275-276.
- Bullock, I.D.** (1980): Some aspects of the ecology of the Chough at South Stack, Anglesey, November 1978 – Oktober 1979. M. sc. Thesis University of Wales.
- Bullock, I.D. & Del-Nevo** (1983): : The Choughs of the Calf. *Peregrine* 5: 226–229.
- Bullock, I.D., Dreweti, D.R. & Mickleburgh, S.P.** (1983): The Chough in Britain and Ireland. *Brit. Birds* 76: 377–401.
- Bullock, I.D., Dreweti, D.R. & Mickleburgh, S.P.** (1983): The Chough in Ireland. *Irish Birds* 2: 257–271.
- Bullock, I.D., Dreweti, D.R. & Mickleburgh, S.P.** (1983): The Chough on the Isle of Man. *Peregrine* 5: 229–237.
- Bullock, I.D., Dreweti, D.R. & Mickleburgh, S.P.** (1985): The Chough in Wales. *Nature in Wales (NS)* 4: 46–57.
- Cabot, D.** (1965): The status and distribution of the Chough in Ireland, 1960–65. *Irish Nat. J.* 15: 95–100.
- Castle-Sloane, C.** (1905): The Red-billed Cough. *Bird Notes* 4: 1-4.
- Clarke, J. & Clarke, P.M.** (1995): Choughs feeding on Mining Bee *Colletes succinctus* larvae on Colonsay. *Bird Study* 42 (3): 253-254.
- Cook, A.S., Grant, M.C., Mckay, C.R. & Peacock, M.A.** (2001): Status, distribution and breeding success of the Red-billed Chough in Scotland in 1998. *Scottish Birds* 22 (2): 82-91.
- Cowdy, S.** (1962): Post-fledging behaviour of Choughs on Bardsey Island. *Brit. Birds* 55: 229–233.
- Cowdy, S.** (1973): Ants as a major food source of the Chough. *Bird Study* 20: 117–120.
- Cullen, J.M., Guiton, P.E., Horridge, G.A. & Pierson, J.** (1952): Birds on Palma and Gomera (Canary Islands). *Ibis* 94: 73-74.
- Darke, T.O.** (1971): *The Cornish Chough*. Bradford Barton Ltd., Truro, 44 S.
- Delestrade, A.** (1998): Distribution and status of the Ethiopian population of the Chough *Pyrrhocorax*

pyrrhocolax baileyi. Bulletin of the British Ornithologists' Club 118 (2): 101-105.

Desportes, J.-P., Metcalfe, N.B., Popp, J.W., Meyer, R.M., Gallo, A. & Cezilly, F. (1993): Relationships between scan and interscan durations in three avian species. Canadian Journal of Zoology 71 (7): 1466-1469.

Diesselhorst, G. (1968): Beiträge zur Ökologie der Vögel zentral- und ost-Nepals. In Khumbu Himal. em Portugal. Estud. biol. conserv. nat. no 2, Lisboa, 47 S.

Farinha, J.C. (1988): Gralha-de-bico-vermelho *Pyrrhocolax pyrrhocolax* – ecologia e caracterização do núcleo de Sagres-S. Vicente. Faculdade de Ciências Lisboa.

Farinha, J.C. (1989): Selection of feeding biotopes by Chough at Sagre-S. Vicente (Portugal). In: Bignal & Curtis: 89–93.

Farinha, J.C. (1991): Medidas urgentes para a conservação da Gralha-de-bicovermelho

Ferriere, R., Cazelles, B., Cezilly, F. & Desportes, J.P. (1996): Predictability and chaos in bird vigilant behaviour. Animal Behaviour 52 (3): 457-472.

Finney, S.K. & Jardine, D.C. (2003): The distribution and status of the Red-billed Chough in Scotland in 2002. Scottish Birds 24(1): 11-17.

Frechet, G., Rondeau, A. & Isenmann, P. (1996): Strange food-searching behaviour in winter by Chough *Pyrrhocolax pyrrhocolax* in the cracks of a cliff. Alauda 64 (4): 447.

Girtanner, A. (1877): Steinkrähe der Schweizeralpen. Zool. Garten 18: 145–164.

Grummt, W. (1961): Ornithologische Beobachtungen in der Mongolei. Beitr. Vogelk. 7: 349-360.

Guichard, G. (1962): Le Crave à bec rouge. Oiseau 32: 1-4.

Guillou, J.J. (1981): Problèmes de la distribution du Crave en Europe occidentale. Oiseau 51: 177–188.

Hagemeyer, J. M. & Blair, M. J. (Hrsg.) (1997): The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. T & A D Poyser, London.

Harrop, H.M. (1970): The Chough in North Wales. Nature in Wales 12: 65–69.

Hayward, D. & Davies, S. (1999): Interactions between breeding Choughs and Fulmars on Islay. Scottish Birds 20 (2): 112.

Holyoak, D. (1972): Behaviour and Ecology of the Cough and the Alpine Cough. Bird Study 19: 215-227.

Jochums, F. & Bär, U. (1993): Breeding of the snow fink, *Montifringilla nivalis*, in the Karwendelgebirge foothills. Ornithologischer Anzeiger 32 (3): 167-168.

Kasybekov, E. & Kurmankulov, A.B. (1994): Occurrence of Spanish sparrow, *Passer hispaniolensis* and crested lark, *Galerida cristata* above 3100 M in winter. Folia Zoologica 43 (1): 91-92.

Kerbiriou, C. (2001): Originalité de la population Bretonne de Crave a bec Rouge dans un contexte Européen. [Originality of the Brittany Red-billed Chough population in a European context]. Alauda 69 (1): 25-42.

Kofron, C.P. (1993): Behavior of Nile crocodiles in a seasonal river in Zimbabwe. Copeia 1993 (2): 463-469.

Koslova, E.V. (1933): The birds of south-west Transbaikalia, northern Mongolia and central Gobi. Ibis 14 (2): 64.

Kryukov, A.P. & Suzuki, H. (2000): Phylogeography of carrion, hooded, and jungle crows (*Aves, Corvidae*) inferred from partial sequencing of the mitochondrial DNA cytochrome b gene. Genetika 36 (8): 1111-1118.

Laiolo, P. & Rolando, A. (2001): A comparative analysis of the breeding biology of the red-billed Chough *Pyrrhocolax pyrrhocolax* and the Alpine Chough *P. graculus* coexisting in the Alps. Ibis 143 (1): 33-40.

Laiolo, P. & Rolando, A. (2001): Ecogeographic correlates of morphometric variation in the Red-billed Chough *Pyrrhocolax pyrrhocolax* and the Alpine Chough *Pyrrhocolax graculus*. Ibis 143 (4): 602-616.

Laiolo, P., Bignal, E.M. & Patterson, I.J. (1998): The dynamics of parental care in Choughs (*Pyrrhocolax pyrrhocolax*). Journal für Ornithologie 139 (3): 297-305.

Laiolo, P., Dondero, F., Ciliento, E. & Rolando, A. (2004): Consequences of pastoral abandonment for the structure and diversity of the alpine avifauna. Journal of Applied Ecology 41 (2): 294-304.

Laiolo, P., Palestini, C. & Rolando, A. (2000): A study of Choughs' vocal repertoire: Variability related to individuals, sexes and ages. Journal für Ornithologie 141 (2): 168-179.

Laiolo, P., Rolando, A., Delestrade, A. & de Sanctis, A. (2001): Geographical variation in the calls of the Choughs. Condor 103 (2): 287-297.

Laiolo, P., Rolando, A., Delestrade, A. & De Sanctis, A. (2001): Geographic diversification in the call repertoire of the genus *Pyrrhocolax* (*Aves, Corvidae*). Canadian Journal of Zoology 79 (9): 1568-1576.

Lovari, S. (1976): Prime osservazioni sulla biologia del Gracchio corallino ne1 Parco Nazionale d'Abruzzo. In: F. Pedrotti: S.O.S. Fauna, Animali in pericolo in Italia. Camerino: 189–214.

Madders, M., Leckie, F.M., Watson, J. & Mckay, C.R. (1998): Distribution and foraging habitat preferences of Choughs on The Oa peninsula, Islay. Scottish Birds 19 (5): 280-289.

Madge, S. (1994): Identification of jackdaws and choughs. British Birds 87(3): 99-105.

Marchant, J.H. (1994): The new breeding bird survey. British Birds 87 (1): 26-28.

Massa, B. & Catalisano, A. (1994): New data on the distribution of some birds in the Alps. Rivista Italiana di Ornitologia 63(2): 211-212.

Matvejev, S.D. (1955): Le Crave à bec rouge en Yougoslavie. Acta Mus. Maced. Sci. Nat. 4 (no 10/32): 1–22.

Mayaud, N. (1933): Notes et remarques sur quelques corvides. Alauda 5: 195–220.

- McCanch, N.** (2000): The relationship between Red-Billed Chough *Pyrrhonorax pyrrhonorax* (L) breeding populations and grazing pressure on the Calf of Man. *Bird Study* 47 (3): 295-303.
- McCracken, D. & Bignal, E.M.** (1998): Applying the results of ecological studies to land-use policies and practices. *Journal of Applied Ecology* 35 (6): 961-967.
- McCracken, D. & Foster, G.N.** (1994): Invertebrates, cow-dung, and the availability of potential food for the chough (*Pyrrhonorax pyrrhonorax* L.) on pastures in North-west Islay. *Environmental Conservation* 21 (3): 262-266.
- McCracken, D.I.** (1990): Factors affecting the availability of invertebrate food for the Chough. Ph. D. Thesis University of Glasgow.
- McCracken, D.I. & Foster, G.N.** (1991): Invertebrates and the Chough on Islay. *Proc. 2nd Europ. Forum Bird Pastoralism, Port Eri*: 76-79.
- McCracken, D.I. & Foster, G.N.** (1993): Surface-active invertebrate communities and the availability of potential food for the Chough, *Pyrrhonorax pyrrhonorax* L., on pastures in northwest Islay. *Pedobiologia* 37 (3): 141-158.
- McCracken, D.I., Foster, G.N., Bignal, E.M. & Bignal, S.** (1992): An assessment of Chough diet using multivariate analysis techniques. *Avocetta* 16: 19-29.
- McKay, C.R.** (1994): Brown-headed cowbird in Strathclyde: New to Britain and Ireland. *British Birds* 87 (6): 284-288.
- Meyer, R.** (1990): Observations on two Red-billed Choughs in Cornwall: habitat use and food intake. *Bird Study* 37: 199-209.
- Meyer, R.** (2000): The return of the Red-billed Chough to England. *British Birds* 93 (5): 249-252.
- Mlikovsky, J.** (1996): Early and middle Pleistocene birds from the Bohemian Karst, Czech Republic. *Acta Societatis Zoologicae Bohemicae* 60(2-3): 187-190.
- Monaghan, P., Bignal, E., Bignal, S., Easterbee, N. & McKay, C.R.** (1989): The distribution and status of the Chough in Scotland in 1986. *Scot. Birds* 15: 114-118.
- Osacar-Jimenez, J.J., Estrada-Pena, A. & Lucientes-Curdi, J.** (1998): Ticks (Acarina: *Ixodidae*) of wild birds in the Ebro Middle Basin (North-East Spain). *Acarologia* 39 (1): 23-31.
- Osborne, K.** (2000): Report of Red-billed Chough in London. *British Birds* 93 (7): 342.
- Owen, D.A.L.** (1985): Factors affecting the status of the Chough in Britain, with observations on its behaviour. D. Phil. Thesis, Oxford University, 474 S.
- Owen, D.A.L.** (1985): Factors affecting the status of the Chough in England and Wales; 1780-1980. In: Bignal & Curtis 1989: 72-80.
- Pain, D., Hill, D. & McCracken, D.I.** (1997): Impact of agricultural intensification of pastoral systems on bird distributions in Britain 1970-1990. *Agriculture Ecosystems and Environment* 64 (1): 19-32.
- Parker, K., Gillingham, M.P. & Hanley, T.A.** (1993): An accurate technique for estimating forage intake of tractable animals. *Canadian Journal of Zoology* 71 (7): 1462-1465.
- Pavia, M. & Bedetti, C.** (2003): The late Pleistocene fossil avian remains from Grotta dei Fiori, Carbonia (SW Sardinia, Italy). *Bollettino della Societa Paleontologica Italiana* 42 (1-2): 163-169.
- Praz, J.C. & Oggier, P.A.** (1976): La biologie du Crave à bec rouge en Valais. *Bull. Murith.* 93: 29-40.
- Reid, J.M., Bignal E.M., Bignal, S., McCracken, D.I. & Monaghan, P.** (2003): Age-specific reproductive performance in red-billed choughs *Pyrrhonorax pyrrhonorax*: Patterns and processes in a natural population. *Journal of Animal Ecology* 72 (5): 765-776.
- Reid, J.M., Bignal, E.M., Bignal, S., McCracken, D. I. & Monaghan P.** (2004): Identifying the demographic determinants of population growth rate: a case study of red-billed choughs *Pyrrhonorax pyrrhonorax*. *Journal of Animal Ecology* 73 (4): 777-788.
- Reid, J.M., Bignal, E.M., Bignal, S., McCracken, D.I. & Monaghan, P.** (2003): Environmental variability, life-history covariation and cohort effects in the red-billed chough *Pyrrhonorax pyrrhonorax*. *Journal of Animal Ecology* 72 (1): 36-46.
- Roberts, P.J.** (1982): Foods of the Chough on Bardsey Island, Wales. *Bird Study* 29: 155-161.
- Roberts, P.J.** (1985): Feeding habitats of the Chough on Bardsey Island (Gwynedd). *Bird Study* 30: 67-72.
- Roberts, P.J.** (1985): The Choughs of Bardsey. *Brit. Birds* 78: 217-232.
- Robertson, A., Jarvis, A.M. & Day, K.R.** (1995): Habitat selection and foraging behaviour of breeding choughs *Pyrrhonorax pyrrhonorax* L. in County Donegal. *Biology and Environment* 95B (1): 69-74.
- Rolando, A. & Laiolo, P.** (1997): A comparative analysis of the diets of the Chough *Pyrrhonorax pyrrhonorax* and the Alpine Chough *Pyrrhonorax graculus* coexisting in the Alps. *Ibis* 139(2): 388-395.
- Rolando, A., Caldoni, R., De-Sanctis, A. & Laiolo, P.** (2001): Vigilance and neighbour distance in foraging flocks of red-billed choughs, *Pyrrhonorax pyrrhonorax*. *Journal of Zoology* 253 (2): 225-232.
- Rolando, A., Laiolo, P. & Formica, M.** (1997): A comparative analysis of the foraging behaviour of the Chough *Pyrrhonorax pyrrhonorax* and the Alpine Chough *Pyrrhonorax graculus* coexisting in the Alps. *Ibis* 139(3): 461-467.
- Rolando, A., Laiolo, P. & Formica, M.** (1997): The influence of flocking on the foraging behaviour of the chough (*Pyrrhonorax pyrrhonorax*) and the Alpine chough (*P. graculus*) coexisting in the Alps. *Journal of Zoology* 242(2): 299-308.
- Rolfe, R.** (1966): The status of the Chough in the British Isles. *Bird Study* 13: 221-236.

- Roth, G.** (1984): Beobachtungen zum Verhalten der Alpenkrähe im Alpenzoo Innsbruck. Hausarbeit Univ. Innsbruck.
- Ryves, B.H.** (1940): Beobachtungen am Nest eines Alpenkrähen-Paares. Rev. Suisse Zool. 47: 217–223.
- Ryves, B.H.** (1948): Bird life in Cornwall. Collins, London 1948 (P. *Pyrrhonorcorax* S. 31–55). Schifferli, A. & Lang, E.M. (1940): Beitrag zur Naturgeschichte der Alpenkrähe. J. Orn. 88: 550–575.
- Sanchez-Alonso, C., Ruiz, X., Blanco, G. & Torre, I.** (1996): An analysis of the diet of red-billed chough *Pyrrhonorcorax pyrrhonorcorax* nestlings in NE Spain, using neck ligatures. Ornithologica 73 (4): 179–185.
- Schäfer, E.** (1938): Ornithologische Ergebnisse zweier Forschungsreisen nach Tibet. J. Orn. Sonderheft: 265–268.
- Schifferli, A. & Lang, E.M.** (1941): Beitrag zur Naturgeschichte der Alpenkrähe *Pyrrhonorcorax erythrorhampus* (Vieillot). J. Orn. 88: 550–575.
- Schulze-Hagen, K., Swatschek, I., Dyrce, A. & Wink, M.** (1993): Multiple paternity in broods of aquatic warblers *Acrocephalus paludicola*: First results of a DNA-fingerprinting study. Journal für Ornithologie 134 (2): 145–154.
- Shore, R., Wright, J., Horne, J.A. & Sparks, T.H.** (1999): Polycyclic aromatic hydrocarbon (PAH) residues in the eggs of coastal-nesting birds from Britain. Marine Pollution Bulletin 38 (6): 509–513.
- Sitasuwan, N.** (1984): Verhaltensvergleich von Alpenkrähen, Alpendohlen und deren Hybriden. Diss. Universität Innsbruck.
- Soler, J.J. & Soler, M.** (1993): Diet of the red-billed chough *Pyrrhonorcorax pyrrhonorcorax* in south-east Spain. Bird Study 40 (3): 216–222.
- Soler, J.J., Soler, M. & Gabriel-Martinez, J.** (1993): Grit ingestion and cereal consumption in five corvid species. Ardea 81 (2): 143–149.
- Sorci, G., Massa, B. & Cangialosi, G.** (1971): Ricerche – osservazioni – consistenza attuale del Gracchio corallino in Sicilia. Riv. Ital. Orn. 41: 1–10.
- Starck, J.M.** (1996): Comparative morphology and cytokinetics of skeletal growth in hatchlings of altricial and precocial birds. Zoologischer Anzeiger 235 (1-2): 53–75.
- Still, E., Monaghan, P. & Bignal, E.** (1987): Social structuring at a communal roost of Choughs. Ibis 129: 398–403.
- Stillman, R.A., Bignal, E.M., McCracken, D.I. & Ovenden, G.N.** (1998): Clutch and egg size in the Chough *Pyrrhonorcorax pyrrhonorcorax* on Islay, Scotland. Bird Study 45 (1): 122–126.
- Taillandier, J.** (1993): The breeding of the fan-tailed warbler *Cisticola juncidis* in salt-marsh meadows (Guerande, Loire-Atlantique, western France). Alauda 61 (1): 39–51.
- Tella, J.L. & Torre, I.** (1993): Sexual size dimorphism and determination of sex in the chough (*Pyrrhonorcorax pyrrhonorcorax*). Journal für Ornithologie 134 (2): 187–190.
- Turner, B.C.** (1959): Feeding behaviour of Ravens and Coughs. Brit. Birds 52: 129–131.
- Vaurie, C.** (1954): Systematic Notes on Palaearctic Birds No.4 the Coughs (*Pyrrhonorcorax*). Amer. Mus. Novit No. 1658.
- Warnes, J.M.** (1982): A study of the ecology of the Chough on the Isle of Islay, Argyll, 1980–1981. Rep. Islay Mus. Trust/Stirling University.
- Warnes, J.M.** (1983): The status of the Chough in Scotland. Scot. Birds 12: 238–246.
- Warnes, J.M. & Stroud, D.A.** (1989): Habitat use and food of Choughs on the island of Islay, Scotland. In: Bignal & Curtis: 46–51.
- Whittaker, I.** (1947): Notes on Welsh Coughs. British Birds 40: 265–266.
- Williamson, K.** (1939): Down plumage of nestling and soft parts of the juvenile Cough. British Birds 33: 78.
- Williamson, K.** (1959): Observations on the Chough. Peregrine 3: 8–14.
- Zieger, R.** (1967): Kleine Beobachtungen aus der Mongolei. Beiträge zur Vogelkunde 13: 116–124.